ELSEVIER

Brain Research 915 (2001) 256–257

BRAIN RESEARCH

www.elsevier.com/locate/bres

Author Index

Abdurakhmanova, I.N., see Zubareva, O.E. (915) 244
Abe, K., see Manabe, Y. (915) 104
Alekseeva, T.G., see Loseva, E.V. (915) 125
Ando, R., see Tachibana, T. (915) 234
Arnolda, L.F., see Burman, K.J. (915) 238
Ashwell, K.W.S., see Lu, J. (915) 118

Bakshi, V.P., see Hsu, D.T. (915) 18
Balaban, P.M., see Loseva, E.V. (915) 125
Balachandran, J.S., see Hsu, D.T. (915) 18
Barnea, A., see Dudley, C.A. (915) 32
Bartnik, B.L., Kendall, E.J. and Obenaus, A.
Cortical devascularization: quantitative diffusion weighted magnetic resonance imaging and histological findings (915) 133
Berthoud, H.-R., Earle, T., Zheng, H., Patterson, L.M. and Phifer, C.
Food-related gastrointestinal signals activate caudal brainstem neurons expressing both NMDA and AMPA receptors (915) 143
Blanchet, C. and Dulon, D.
Tetraethylammonium ions block the nicotinic cholinergic receptors of cochlear outer hair cells (915) 11
Bluthe, R.-M., see Zubareva, O.E. (915) 244
Bonaventure, P., see Varnäs, K. (915) 47
Burman, K.J., McKitrick, D.J., Minson, J.B., West, A., Arnolda, L.F. and Llewellyn-Smith, I.J.
Neurokinin-1 receptor immunoreactivity in hypotension sensitive sympathetic preganglionic neurons (915) 238
Butkevich, I.P. and Vershinina, E.A.
Prenatal stress alters time characteristics and intensity of formalin-induced pain responses in juvenile rats (915) 88

Chakravarty, S., see Dudley, C.A. (915) 32
Chang, X., see Xie, J. (915) 1
Cheeta, S., Tucci, S., Sandhu, J., Williams, A.R., Rupniak, N.M.J. and File, S.E.
Anxiolytic actions of the substance P (NK_1) receptor antagonist L-760735 and the 5-HT_{1A} agonist 8-OH-DPAT in the social interaction test in gerbils (915) 170
Christopoulos, A. and Wilson, K.
Interaction of anandamide with the M_1 and M_4 muscarinic acetylcholine receptors (915) 70
Chung, J.M., see Zhou, J. (915) 161
Chung, K., see Zhou, J. (915) 161

Dahlin, I., see Lindholm, S. (915) 176
de Kloet, E.R., see Schaaf, M.J.M. (915) 227
Dantzer, R., see Zubareva, O.E. (915) 244
Diaz, F.G., see Ding, Y. (915) 210
Ding, Y., Zhou, Y., Lai, Q., Li, J., Gordon, V. and Diaz, F.G.
Long-term neuroprotective effect of inhibiting poly(ADP-ribose) polymerase in rats with middle cerebral artery occlusion using a behavioral assessment (915) 210
Dudley, C.A., Chakravarty, S. and Barnea, A.
Female odors lead to rapid activation of mitogen-activated protein kinase (MAPK) in neurons of the vomeronasal system (915) 32
Dulon, D., see Blanchet, C. (915) 11

Earle, T., see Berthoud, H.-R. (915) 143
Ermakova, I.V., see Loseva, E.V. (915) 125

File, S.E., see Cheeta, S. (915) 170
Franck, J., see Lindholm, S. (915) 176
Funk, J.L., Trout, C.R., Wei, H., Stafford, G. and Reichlin, S.
Parathyroid hormone-related protein (PTHrP) induction in reactive astrocytes following brain injury: a possible mediator of CNS inflammation (915) 195
Furuse, M., see Tachibana, T. (915) 234

Georgieva, J., see Lindholm, S. (915) 176
Gordon, V., see Ding, Y. (915) 210
Guo, Q., see Xie, J. (915) 1

Hall, H., see Varnäs, K. (915) 47
Hanada, K., see Naganuma, K. (915) 185
Haruta, A., see Kimitsuki, T. (915) 101
Hayashi, T., see Manabe, Y. (915) 104
Hayek, R., see Lu, J. (915) 118
Hsu, D.T., Lombardo, K.A., Bakshi, V.P., Balachandran, J.S., Roseboom, P.H. and Kalin, N.H.
Acute stress-induced increases in thalamic CRH mRNA are blocked by repeated stress exposure (915) 18

Inoue, M., see Naganuma, K. (915) 185
Ishige, A., see Mizoguchi, K. (915) 108

Jain, N.K., see Singh, V.P. (915) 218

Kalin, N.H., see Hsu, D.T. (915) 18
Kato, N., see Yoshimura, H. (915) 94
Kawano, H., see Kimitsuki, T. (915) 101
Kawano, H., Takeuchi, Y., Yoshimoto, K., Matsumoto, K. and Sugimoto, T.
Histological changes in monoaminergic neurons of Long–Evans Cinnamon rats (915) 25
Kendall, E.J., see Bartnik, B.L. (915) 133
Kimitsuki, T., Nishida, M., Kawano, H., Haruta, A., Matsuda, K. and Komune, S.
Membrane current possessing the properties of a mechano-electric transducer current in inner hair cells of guinea-pig cochlea (915) 101
Kiyosue, K., see Kudoh, S.N. (915) 79
Klimenko, V.M., see Zubareva, O.E. (915) 244
Kokudo, N., see Mizukami, Y. (915) 112
Komune, S., see Kimitsuki, T. (915) 101
Krasnova, I.N., see Zubareva, O.E. (915) 244
Kudoh, S.N., Nagai, R., Kiyosue, K. and Taguchi, T.
PKC and CaMKII dependent synaptic potentiation in cultured cerebral neurons (915) 79
Kulkarni, S.K., see Singh, V.P. (915) 218

Lai, Q., see Ding, Y. (915) 210
Lermontova, N.N., see Loseva, E.V. (915) 125
Lesscher, H.M., see Schaaf, M.J.M. (915) 227
Li, J., see Ding, Y. (915) 210
Lindholm, S., Rosin, Å., Dahlin, I., Georgieva, J. and Franck, J.
Ethanol administration potentiates cocaine-induced dopamine levels in the rat nucleus accumbens (915) 176
Llewellyn-Smith, I.J., see Burman, K.J. (915) 238
Lombardo, K.A., see Hsu, D.T. (915) 18
Loseva, E.V., Vorobyev, V.N., Ermakova, I.V., Lermontova, N.N., Alekseeva,

0006-8993/01/$ – see front matter © 2001 Elsevier Science B.V. All rights reserved.
PII: S0006-8993(01)03041-4

ELSEVIER

Brain Research 915 (2001) 256–257

BRAIN RESEARCH

www.elsevier.com/locate/bres

Author Index

Abdurakhmanova, I.N., see Zubareva, O.E. (915) 244
Abe, K., see Manabe, Y. (915) 104
Alekseeva, T.G., see Loseva, E.V. (915) 125
Ando, R., see Tachibana, T. (915) 234
Arnolda, L.F., see Burman, K.J. (915) 238
Ashwell, K.W.S., see Lu, J. (915) 118

Bakshi, V.P., see Hsu, D.T. (915) 18
Balaban, P.M., see Loseva, E.V. (915) 125
Balachandran, J.S., see Hsu, D.T. (915) 18
Barnea, A., see Dudley, C.A. (915) 32
Bartnik, B.L., Kendall, E.J. and Obenaus, A.
Cortical devascularization: quantitative diffusion weighted magnetic resonance imaging and histological findings (915) 133
Berthoud, H.-R., Earle, T., Zheng, H., Patterson, L.M. and Phifer, C.
Food-related gastrointestinal signals activate caudal brainstem neurons expressing both NMDA and AMPA receptors (915) 143
Blanchet, C. and Dulon, D.
Tetraethylammonium ions block the nicotinic cholinergic receptors of cochlear outer hair cells (915) 11
Bluthe, R.-M., see Zubareva, O.E. (915) 244
Bonaventure, P., see Varnäs, K. (915) 47
Burman, K.J., McKitrick, D.J., Minson, J.B., West, A., Arnolda, L.F. and Llewellyn-Smith, I.J.
Neurokinin-1 receptor immunoreactivity in hypotension sensitive sympathetic preganglionic neurons (915) 238
Butkevich, I.P. and Vershinina, E.A.
Prenatal stress alters time characteristics and intensity of formalin-induced pain responses in juvenile rats (915) 88

Chakravarty, S., see Dudley, C.A. (915) 32
Chang, X., see Xie, J. (915) 1
Cheeta, S., Tucci, S., Sandhu, J., Williams, A.R., Rupniak, N.M.J. and File, S.E.
Anxiolytic actions of the substance P (NK_1) receptor antagonist L-760735 and the 5-HT_{1A} agonist 8-OH-DPAT in the social interaction test in gerbils (915) 170
Christopoulos, A. and Wilson, K.
Interaction of anandamide with the M_1 and M_4 muscarinic acetylcholine receptors (915) 70
Chung, J.M., see Zhou, J. (915) 161
Chung, K., see Zhou, J. (915) 161

Dahlin, I., see Lindholm, S. (915) 176
de Kloet, E.R., see Schaaf, M.J.M. (915) 227
Dantzer, R., see Zubareva, O.E. (915) 244
Diaz, F.G., see Ding, Y. (915) 210
Ding, Y., Zhou, Y., Lai, Q., Li, J., Gordon, V. and Diaz, F.G.
Long-term neuroprotective effect of inhibiting poly(ADP-ribose) polymerase in rats with middle cerebral artery occlusion using a behavioral assessment (915) 210
Dudley, C.A., Chakravarty, S. and Barnea, A.
Female odors lead to rapid activation of mitogen-activated protein kinase (MAPK) in neurons of the vomeronasal system (915) 32
Dulon, D., see Blanchet, C. (915) 11

Earle, T., see Berthoud, H.-R. (915) 143
Ermakova, I.V., see Loseva, E.V. (915) 125

File, S.E., see Cheeta, S. (915) 170
Franck, J., see Lindholm, S. (915) 176
Funk, J.L., Trout, C.R., Wei, H., Stafford, G. and Reichlin, S.
Parathyroid hormone-related protein (PTHrP) induction in reactive astrocytes following brain injury: a possible mediator of CNS inflammation (915) 195
Furuse, M., see Tachibana, T. (915) 234

Georgieva, J., see Lindholm, S. (915) 176
Gordon, V., see Ding, Y. (915) 210
Guo, Q., see Xie, J. (915) 1

Hall, H., see Varnäs, K. (915) 47
Hanada, K., see Naganuma, K. (915) 185
Haruta, A., see Kimitsuki, T. (915) 101
Hayashi, T., see Manabe, Y. (915) 104
Hayek, R., see Lu, J. (915) 118
Hsu, D.T., Lombardo, K.A., Bakshi, V.P., Balachandran, J.S., Roseboom, P.H. and Kalin, N.H.
Acute stress-induced increases in thalamic CRH mRNA are blocked by repeated stress exposure (915) 18

Inoue, M., see Naganuma, K. (915) 185
Ishige, A., see Mizoguchi, K. (915) 108

Jain, N.K., see Singh, V.P. (915) 218

Kalin, N.H., see Hsu, D.T. (915) 18
Kato, N., see Yoshimura, H. (915) 94
Kawano, H., see Kimitsuki, T. (915) 101
Kawano, H., Takeuchi, Y., Yoshimoto, K., Matsumoto, K. and Sugimoto, T.
Histological changes in monoaminergic neurons of Long–Evans Cinnamon rats (915) 25
Kendall, E.J., see Bartnik, B.L. (915) 133
Kimitsuki, T., Nishida, M., Kawano, H., Haruta, A., Matsuda, K. and Komune, S.
Membrane current possessing the properties of a mechano-electric transducer current in inner hair cells of guinea-pig cochlea (915) 101
Kiyosue, K., see Kudoh, S.N. (915) 79
Klimenko, V.M., see Zubareva, O.E. (915) 244
Kokudo, N., see Mizukami, Y. (915) 112
Komune, S., see Kimitsuki, T. (915) 101
Krasnova, I.N., see Zubareva, O.E. (915) 244
Kudoh, S.N., Nagai, R., Kiyosue, K. and Taguchi, T.
PKC and CaMKII dependent synaptic potentiation in cultured cerebral neurons (915) 79
Kulkarni, S.K., see Singh, V.P. (915) 218

Lai, Q., see Ding, Y. (915) 210
Lermontova, N.N., see Loseva, E.V. (915) 125
Lesscher, H.M., see Schaaf, M.J.M. (915) 227
Li, J., see Ding, Y. (915) 210
Lindholm, S., Rosin, Å., Dahlin, I., Georgieva, J. and Franck, J.
Ethanol administration potentiates cocaine-induced dopamine levels in the rat nucleus accumbens (915) 176
Llewellyn-Smith, I.J., see Burman, K.J. (915) 238
Lombardo, K.A., see Hsu, D.T. (915) 18
Loseva, E.V., Vorobyev, V.N., Ermakova, I.V., Lermontova, N.N., Alekseeva,

0006-8993/01/$ – see front matter © 2001 Elsevier Science B.V. All rights reserved.
PII: S0006-8993(01)03041-4

T.G., Zakharov, I.S. and Balaban, P.M.
Comparison of reactive processes in the rat brain elicited by xenotransplantation of nervous tissues of chicken or pulmonate snail (915) 125
Lu, J., Ashwell, K.W.S., Hayek, R. and Waite, P.
Fluororuby as a marker for detection of acute axonal injury in rat spinal cord (915) 118

Maidment, N.T., see Matsuka, Y. (915) 248
Manabe, Y., Warita, H., Murakami, T., Shiote, M., Hayashi, T., Nagano, I., Shoji, M. and Abe, K.
Early decrease of redox factor-1 in spinal motor neurons of presymptomatic transgenic mice with a mutant SOD1 gene (915) 104
Matsuda, K., see Kimitsuki, T. (915) 101
Matsuka, Y., Neubert, J.K., Maidment, N.T. and Spigelman, I.
Concurrent release of ATP and substance P within guinea pig trigeminal ganglia in vivo (915) 248
Matsumoto, K., see Kawano, H. (915) 25
McKitrick, D.J., see Burman, K.J. (915) 238
Minson, J.B., see Burman, K.J. (915) 238
Mizoguchi, K., Yuzurihara, M., Ishige, A., Sasaki, H. and Tabira, T.
Effect of chronic stress on cholinergic transmission in rat hippocampus (915) 108
Mizukami, Y., Yamada, S., Kokudo, N., Takashima, M. and Yokoyama, T.
Dietary iron reduces the anti-convulsion activity of phenytoin in electroconvulsion via inhibition of brain penetration (915) 112
Munjal, I., see Spector, S. (915) 155
Murakami, T., see Manabe, Y. (915) 104

Nadler, J.V., see Okazaki, M.M. (915) 58
Nagai, R., see Kudoh, S.N. (915) 79
Nagano, I., see Manabe, Y. (915) 104
Naganuma, K., Inoue, M., Yamamura, K., Hanada, K. and Yamada, Y.
Tongue and jaw muscle activities during chewing and swallowing in freely behaving rabbits (915) 185
Neubert, J.K., see Matsuka, Y. (915) 248
Nishida, M., see Kimitsuki, T. (915) 101

Obenaus, A., see Bartnik, B.L. (915) 133
Ohgushi, A., see Tachibana, T. (915) 234
Oitzl, M.S., see Schaaf, M.J.M. (915) 227
Okazaki, M.M. and Nadler, J.V.
Glutamate receptor involvement in dentate granule cell epileptiform activity evoked by mossy fiber stimulation (915) 58
Onoda, N., see Yoshimura, H. (915) 94

Patterson, L.M., see Berthoud, H.-R. (915) 143
Phifer, C., see Berthoud, H.-R. (915) 143

Reichlin, S., see Funk, J.L. (915) 195
Roseboom, P.H., see Hsu, D.T. (915) 18
Rosin, Å., see Lindholm, S. (915) 176
Rupniak, N.M.J., see Cheeta, S. (915) 170

Sandhu, J., see Cheeta, S. (915) 170
Sasaki, H., see Mizoguchi, K. (915) 108
Sashihara, K., see Tachibana, T. (915) 234
Schaaf, M.J.M., Workel, J.O., Lesscher, H.M., Vreugdenhil, E., Oitzl, M.S. and Ron de Kloet, E.
Correlation between hippocampal BDNF mRNA expression and memory performance in senescent rats (915) 227
Schmidt, D.E., see Spector, S. (915) 155
Sedvall, G., see Varnäs, K. (915) 47
Segami, N., see Yoshimura, H. (915) 94
Shiote, M., see Manabe, Y. (915) 104
Shoji, M., see Manabe, Y. (915) 104
Singh, V.P., Jain, N.K. and Kulkarni, S.K.
On the antinociceptive effect of fluoxetine, a selective serotonin reuptake inhibitor (915) 218
Spector, S., Munjal, I. and Schmidt, D.E.
Endogenous morphine and codeine. Possible role as endogenous anticonvulsants (915) 155
Spigelman, I., see Matsuka, Y. (915) 248
Stafford, G., see Funk, J.L. (915) 195
Sugahara, K., see Tachibana, T. (915) 234
Sugai, T., see Yoshimura, H. (915) 94
Sugimoto, T., see Kawano, H. (915) 25

Tabira, T., see Mizoguchi, K. (915) 108
Tachibana, T., Sugahara, K., Ohgushi, A., Ando, R., Sashihara, K., Yoshimatsu, T. and Furuse, M.
Intracerebroventricular injection of exendin (5–39) increases food intake of layer-type chicks but not broiler chicks (915) 234
Taguchi, T., see Kudoh, S.N. (915) 79
Takashima, M., see Mizukami, Y. (915) 112
Takeuchi, Y., see Kawano, H. (915) 25
Trout, C.R., see Funk, J.L. (915) 195
Tucci, S., see Cheeta, S. (915) 170

Varnäs, K., Hall, H., Bonaventure, P. and Sedvall, G.
Autoradiographic mapping of 5-HT_{1B} and 5-HT_{1D} receptors in the post mortem human brain using [^{3}H]GR 125743 (915) 47
Vershinina, E.A., see Butkevich, I.P. (915) 88
Vorobyev, V.N., see Loseva, E.V. (915) 125
Vreugdenhil, E., see Schaaf, M.J.M. (915) 227

Waite, P., see Lu, J. (915) 118
Warita, H., see Manabe, Y. (915) 104
Wei, H., see Funk, J.L. (915) 195
West, A., see Burman, K.J. (915) 238
Williams, A.R., see Cheeta, S. (915) 170
Wilson, K., see Christopoulos, A. (915) 70
Workel, J.O., see Schaaf, M.J.M. (915) 227

Xie, J., Chang, X., Zhang, X. and Guo, Q.
Aberrant induction of Par-4 is involved in apoptosis of hippocampal neurons in presenilin-1 M146V mutant knock-in mice (915) 1

Yamada, S., see Mizukami, Y. (915) 112
Yamada, Y., see Naganuma, K. (915) 185
Yamamura, K., see Naganuma, K. (915) 185
Yokoyama, T., see Mizukami, Y. (915) 112
Yoshimatsu, T., see Tachibana, T. (915) 234
Yoshimoto, K., see Kawano, H. (915) 25
Yoshimura, H., Sugai, T., Onoda, N., Segami, N. and Kato, N.
Synchronized population oscillation of excitatory synaptic potentials dependent of calcium-induced calcium release in rat neocortex layer II/III neurons (915) 94
Yuzurihara, M., see Mizoguchi, K. (915) 108

Zakharov, I.S., see Loseva, E.V. (915) 125
Zhang, X., see Xie, J. (915) 1
Zheng, H., see Berthoud, H.-R. (915) 143
Zhou, J., Chung, K. and Chung, J.M.
Development of purinergic sensitivity in sensory neurons after peripheral nerve injury in the rat (915) 161
Zhou, Y., see Ding, Y. (915) 210
Zubareva, O.E., Krasnova, I.N., Abdurasulova, I.N., Bluthe, R.-M., Dantzer, R. and Klimenko, V.M.
Effects of serotonin synthesis blockade on interleukin-1β action in the brain of rats (915) 244